

L Number	Hits	Search Text	DB	Time stamp
3	661	(rank\$3 or sort\$3 or index\$3) near10 (content or information or data or document or file or page) near10 (based or accord\$3 or correspond\$3) adj10 (computer or client or OS or terminal or device or activities)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 08:59
4	14187	(rank\$3 or sort\$3 or index\$3 or stor\$3 or point\$3) near10 (content or information or data or document or file or page) near10 (based or accord\$3 or correspond\$3) adj10 (computer or client or OS or terminal or device or activities)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 08:55
5	530	(709/217 or 709/218 or 709/219 or 707/\$3).ccls. and ( (rank\$3 or sort\$3 or index\$3 or stor\$3 or point\$3) near10 (content or information or data or document or file or page) near10 (based or accord\$3 or correspond\$3) adj10 (computer or client or OS or terminal or device or activities)) and (@AD < "20000418" ro @RLAD < "20000418" or @PRAD < "20000418")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 08:55
6	40	(709/217 or 709/218 or 709/219).ccls. and (707/\$3).ccls. and ( (rank\$3 or sort\$3 or index\$3 or stor\$3 or point\$3) near10 (content or information or data or document or file or page) near10 (based or accord\$3 or correspond\$3) adj10 (computer or client or OS or terminal or device or activities)) and (@AD < "20000418" ro @RLAD < "20000418" or @PRAD < "20000418")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 08:55
8	1	((709/217 or 709/218 or 709/219).ccls. and (707/\$3).ccls. and ( (rank\$3 or sort\$3 or index\$3 or stor\$3 or point\$3) near10 (content or information or data or document or file or page) near10 (based or accord\$3 or correspond\$3) adj10 (computer or client or OS or terminal or device or activities)) and (@AD < "20000418" ro @RLAD < "20000418" or @PRAD < "20000418")) and (based or accord\$3 or correspond\$3) adj10 (priority)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 08:56
9	4	(rank\$3 or sort\$3 or index\$3 or categor\$5 or catalogu\$3) near10 (database or content or information or data or document or file or page) near10 (based or accord\$3 or correspond\$3) adj10 (computer or client or OS or terminal or device or activities) near5 (client or user) and (709/217 or 709/218 or 709/219).ccls. and (707/\$3).ccls. and (@AD < "20000418" or @RLAD < "20000418" or @PRAD < "20000418")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:03
10	0	(rank\$3 or sort\$3 or index\$3 or categor\$5 or catalogu\$3) near10 (database or content or information or data or document or file or page) near10 (based or accord\$3 or correspond\$3) adj10 (computer or client or OS or terminal or device) near3 type and (709/217 or 709/218 or 709/219).ccls. and (707/\$3).ccls. and (@AD < "20000418" or @RLAD < "20000418" or @PRAD < "20000418")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:04
11	42	(rank\$3 or sort\$3 or index\$3 or categor\$5 or catalogu\$3) near10 (database or content or information or data or document or file or page) near10 (based or accord\$3 or correspond\$3) near10 (computer or client or OS or terminal or device or user) and (709/217 or 709/218 or 709/219).ccls. and (707/\$3).ccls. and (@AD < "20000418" or @RLAD < "20000418" or @PRAD < "20000418")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:13
12	43	(rank\$3 or sort\$3 or index\$3 or categor\$5 or catalogu\$3) near10 (database or content or information or data or document or file or page) near10 (based or accord\$3 or correspond\$3) near10 (computer or client or OS or operating adj system or terminal or device or user) and (709/217 or 709/218 or 709/219).ccls. and (707/\$3).ccls. and (@AD < "20000418" or @RLAD < "20000418" or @PRAD < "20000418")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:14

13	43	(rank\$3 or sort\$3 or index\$3 or categor\$5 or catalogu\$3) near10 (database or content or information or data or document or file or page) near10 (based or accord\$3 or correspond\$3) near10 (computer or client or OS or operating adj system or terminal or device or user or profile) and (709/217 or 709/218 or 709/219).ccls. and (707/\$3).ccls. and (@AD < "20000418" or @RLAD < "20000418" or @PRAD < "20000418")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:15
14	50	(priorit\$5 or rank\$3 or sort\$3 or index\$3 or categor\$5 or catalogu\$3) near10 (database or content or information or data or document or file or page) near10 (based or accord\$3 or correspond\$3) near10 (computer or client or OS or operating adj system or terminal or device or user or profile) and (709/217 or 709/218 or 709/219).ccls. and (707/\$3).ccls. and (@AD < "20000418" or @RLAD < "20000418" or @PRAD < "20000418")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 10:26
15	8	((priorit\$5 or rank\$3 or sort\$3 or index\$3 or categor\$5 or catalogu\$3) near10 (database or content or information or data or document or file or page) near10 (based or accord\$3 or correspond\$3) near10 (computer or client or OS or operating adj system or terminal or device or user or profile) and (709/217 or 709/218 or 709/219).ccls. and (707/\$3).ccls. and (@AD < "20000418" or @RLAD < "20000418" or @PRAD < "20000418")) not ((rank\$3 or sort\$3 or index\$3 or categor\$5 or catalogu\$3) near10 (database or content or information or data or document or file or page) near10 (based or accord\$3 or correspond\$3) near10 (computer or client or OS or terminal or device or user) and (709/217 or 709/218 or 709/219).ccls. and (707/\$3).ccls. and (@AD < "20000418" or @RLAD < "20000418" or @PRAD < "20000418"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:47
22	789	(priorit\$5 or rank\$3 or sort\$3 or index\$3 or categor\$5 or catalogu\$3) near10 (database or content or information or data or document or file or page) near10 (based or accord\$3 or correspond\$3) near10 (client or OS or operating adj system or terminal or device or user or profile) and (709/\$3 or 707/\$3).ccls. and (@AD < "20000418" or @RLAD < "20000418" or @PRAD < "20000418")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:20
23	23	(Wen-Tai near1 Lin).XP.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 11:56
24	2	("5864870").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 11:56
31	4	("5949875") or ("5745556")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:59
32	287	((priorit\$5 or rank\$3 or sort\$3 or index\$3 or categor\$5 or catalogu\$3) near10 (database or content or information or data or document or file or page) near10 (based or accord\$3 or correspond\$3) near10 (client or OS or operating adj system or terminal or device or user or profile) and (709/\$3 or 707/\$3).ccls. and (@AD < "20000418" or @RLAD < "20000418" or @PRAD < "20000418")) and (priorit\$5 or rank\$3) near10 (content or information or data or document or file or page) near10 (based or accord\$3 or correspond\$3) near10 (client or OS or operating adj system or terminal or device or user or profile) and (709/\$3 or 707/\$3).ccls. and (@AD < "20000418" or @RLAD < "20000418" or @PRAD < "20000418"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:21

33	16	( (priorit\$5 or rank\$3 or sort\$3 or index\$3 or categor\$5 or catalogu\$3) near10 (database or content or information or data or document or file or page) near10 (based or accord\$3 or correspond\$3) near10 ( client or OS or operating adj system or terminal or device or user or profile) and (709/\$3 or 707/\$3).ccls. and (@AD < "20000418" or @RLAD < "20000418" or @PRAD < "20000418")) and (priorit\$5 or rank\$3) near10 ( content or information or data or document or file or page) near10 (based or accord\$3 or correspond\$3) near10 ( client or OS or operating adj system or terminal or device) near5 type and (709/\$3 or 707/\$3).ccls. and (@AD < "20000418" or @RLAD < "20000418" or @PRAD < "20000418")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:22
----	----	---	---	------------------